

NEW!

valid from June 15, 2021

BAHAMA®

Jumbrella

Price List 2021



Jumbrella | round

in m **ø 3** 7 m² 8 Spokes **ø 3.5** 9.6 m² 8 Spokes **ø 4** 12 m² 8 Spokes **ø 4.5** 15 m² 8 Spokes **ø 5** 19 m² 8 Spokes **ø 5.6** 24 m² 8 Spokes **ø 6.3** 29 m² 8 Spokes **ø 7** 36 m² 8 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
Umbrella Model and Frame											
1	Jumbrella WITHOUT valance »betex®05« polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05« polyester fabric - 25 colors available according to color chart printing possible - aluminum frame in traffic white RAL 9016, textured matte finish - resin components in white - component parts in V2A stainless steel - incl. protective cover with lacing, made of tent fabric (Nicotarp)	- depending on umbrella size - fabric weight: approx. 200 g/m ²	1,698	1,798	1,928	2,248	2,628	3,098	3,438	4,398
2	 Jumbrella WITH valance »betex®05« polyester fabric – exclusively crafted for Bahama	same as 1, but with: - straight edged valance	valance height: approx. 30 cm	1,858	1,978	2,128	2,498	2,898	3,398	3,738	4,778
3	 Frame Color anthracite grey frame finish	- aluminum frame in anthracite grey RAL 7016, textured matte finish - resin components in black		without surcharge							
4	 Frame Color wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black		386							
5	 Frame Color custom finish	aluminum frame in custom RAL finish		386 without surcharge when at least 6 or more umbrellas are ordered under the same purchase order							
6	Resin Components in black	instead of white		without surcharge							
7	 V4A Maritime Edition	all component parts in V4A off-shore stainless steel		215							
8	Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible		139							
9	Umbrella Center Pole Reduction	on request		139							
Umbrella Model and Frame with alternative Textile Membrane											
10	Jumbrella WITHOUT valance »Precontraint 302«	Frame and frame options same as 1–9, however: - textile membrane made of »Precontraint 302« - polyester fabric 550 Dtex with PVC coating - 25 colors available according to color chart printing possible - B1 certified flame retardant	fabric weight: approx. 480 g/m ²	1,924	2,045	2,165	2,526	2,947	3,477	3,850	4,934
11	 Jumbrella WITH valance »Precontraint 302«	same as 10, but with: - straight edged valance	valance height: approx. 30 cm	2,117	2,261	2,406	2,827	3,272	3,838	4,212	5,392
12	Jumbrella WITHOUT valance »Sunvas«	same as 10, however: - textile membrane made of »Sunvas« polyester fabric - distinctive surface feel printing is not possible	fabric weight: approx. 310 g/m ²	1,924	2,045	2,165	2,526	2,947	3,477	3,850	4,934
13	Jumbrella WITHOUT valance »ZebraS, Sunvas striped«	same as 12, however: - striped	fabric weight: approx. 310 g/m ²	2,117	2,249	2,381	2,779	3,242	3,825	4,236	5,428
Original Bahama Textile Membrane for Replacement											
14	WITHOUT valance	made of »betex®05« polyester fabric		557	629	773	910	1,028	1,263	1,571	2,404
15	WITH valance	made of »betex®05« polyester fabric		729	822	988	1,179	1,318	1,586	1,894	2,849
16	WITHOUT valance	made of »Precontraint 302« PVC coated polyester fabric		763	848	1,005	1,181	1,343	1,636	1,984	2,973
17	WITH valance	made of »Precontraint 302« PVC coated polyester fabric		956	1,064	1,246	1,482	1,668	1,997	2,345	3,464
18	WITHOUT valance	made of »Sunvas« polyester fabric		763	848	1,005	1,181	1,343	1,636	1,984	2,973
19	WITHOUT valance	made of »ZebraS, Sunvas striped« polyester fabric		840	933	1,105	1,299	1,478	1,800	2,182	3,270
Printing											
20	 Printing	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)		please refer to separate printing price list							

Starting on page 12 you will find all installation options (mobile & permanent) as well as all additional features.

Jumbrella | square

in m

3 × 3
9 m²
8 Spokes

3.5 × 3.5
12 m²
8 Spokes

4 × 4
16 m²
8 Spokes

4.5 × 4.5
20 m²
8 Spokes

5 × 5
25 m²
8 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €
Umbrella Model and Frame								
21	Jumbrella WITHOUT valance »betex®05« polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05« polyester fabric - 25 colors available according to color chart printing possible - aluminum frame in traffic white RAL 9016, textured matte finish - resin components in white - component parts in V2A stainless steel - incl. protective cover with lacing, made of tent fabric (Nicotarp)	- depending on umbrella size - fabric weight: approx. 200 g/m ²	1,928	2,298	2,488	2,739	3,278
22	 Jumbrella WITH valance »betex®05« polyester fabric – exclusively crafted for Bahama	same as 21, but with: - Continuous or split valance possible	valance height: approx. 30 cm	2,128	2,548	2,738	3,009	3,628
23	 Frame Color anthracite grey frame finish	- aluminum frame in anthracite grey RAL 7016, textured matte finish - resin components in black				without surcharge		
24	 Frame Color wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black				386		
25	 Frame Color custom finish	aluminum frame in custom RAL finish				386 without surcharge when at least 6 or more umbrellas are ordered under the same purchase order		
26	Resin Components in black	instead of white				without surcharge		
27	 V4A Maritime Edition	all component parts in V4A off-shore stainless steel				215		
28	Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible				139		
29	Umbrella Center Pole Reduction	on request				139		
Umbrella Model and Frame with alternative Textile Membrane								
30	Jumbrella WITHOUT valance »Preconstraint 302«	Frame and frame options same as 21-29, however: - textile membrane made of »Preconstraint 302« - polyester fabric 550 Dtex with PVC coating - 25 colors available according to color chart printing possible - B1 certified flame retardant	fabric weight: approx. 480 g/m ²	2,166	2,586	2,792	3,068	3,670
31	 Jumbrella WITH valance »Preconstraint 302«	same as 30, but with: - Continuous or split valance possible	valance height: approx. 30 cm	2,407	2,887	3,093	3,393	4,091
32	Jumbrella WITHOUT valance »Sunvas«	same as 30, however: - textile membrane made of »Sunvas« polyester fabric - distinctive surface feel printing is not possible	fabric weight: approx. 310 g/m ²	2,166	2,586	2,791	3,068	3,670
33	Jumbrella WITHOUT valance »ZebraS, Sunvas striped«	same as 32, however: - striped	fabric weight: approx. 310 g/m ²	2,382	2,844	3,071	3,374	4,037
Original Bahama Textile Membrane for Replacement								
34	WITHOUT valance	made of »betex®05« polyester fabric		660	884	985	1,138	1,437
35	WITH valance	made of »betex®05« polyester fabric		875	1,152	1,254	1,429	1,813
36	WITHOUT valance	made of »Preconstraint 302« PVC coated polyester fabric		892	1,161	1,285	1,467	1,830
37	WITH valance	made of »Preconstraint 302« PVC coated polyester fabric		1,133	1,462	1,586	1,792	2,252
38	WITHOUT valance	made of »Sunvas« polyester fabric		892	1,161	1,285	1,467	1,830
39	WITHOUT valance	made of »ZebraS, Sunvas striped« polyester fabric		981	1,277	1,413	1,614	2,013
Printing								
40	 Printing	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)				please refer to separate printing price list		

Starting on page 12 you will find all installation options (mobile & permanent) as well as all additional features.

Jumbrella | square

in m


3 × 3
9 m²
8 Spokes

3.5 × 3.5
12 m²
8 Spokes

4 × 4
16 m²
8 Spokes

4.5 × 4.5
20 m²
8 Spokes

5 × 5
25 m²
8 Spokes

No.	Item	Description	Price in €				
Textile Gutter TVR							
41	Frame Modification for Textile Gutter	- modification of the parasol frame for the attachment of the textile gutter (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	17	17	17	17	17
42	 Textile Gutter	 textile gutter made of »betex®05« polyester fabric	496	527	565	640	661
43	 Textile Gutter	textile gutter made of »Precontraint 302« PVC coated polyester fabric	555	589	634	717	741
44	 Textile Gutter	textile gutter made of »Sunvas« polyester fabric	555	589	634	717	741
Side Panel							
45	Frame Modification for Side Panel	 - modification of the parasol frame for the attachment of the side panel (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	17	17	17	17	17
46	 Side Panel WITHOUT window	 - made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges	317	353	397	442	477
47	 Side Panel WITH window	 same as 46, however, with: - flexible window made of transparent film 0.5 mm thickness	332	370	416	463	501
48	Connecting Piece	 - connecting piece for joining 2 parasols - textile with zippers	112	112	112	112	112

Starting on page 16 you will find all other additional features.

Jumbrella | rectangular


in m	3 × 1.5 4.5 m ² 8 Spokes	4 × 2 8 m ² 8 Spokes	4 × 3 12 m ² 8 Spokes	4.5 × 3 13.5 m ² 8 Spokes	4.5 × 3.5 15.75 m ² 8 Spokes	5 × 2.5 12.5 m ² 8 Spokes	5 × 3 15 m ² 10 Spokes	5 × 3.75 18.75 m ² 10 Spokes	5 × 4 20 m ² 8 Spokes	6 × 3 18 m ² 10 Spokes	6 × 4 24 m ² 10 Spokes	6 × 4.5 27 m ² 12 Spokes
------	---	---------------------------------------	--	--	---	--	---	---	--	---	---	---

No.	Item	Description	Weight/Dimensions Technical Data	Price in €											
Umbrella Model and Frame															
49	Jumbrella WITHOUT valance »betex®05« polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05« - 25 colors available according to color chart - printing possible - aluminum frame in traffic white RAL 9016, textured matte finish - resin components in white - component parts in V2A stainless steel - incl. protective cover with lacing, made of tent fabric (Nicotarp)	- depending on umbrella size - fabric weight: approx. 200 g/m ²	1,698	1,928	2,248	2,468	2,678	2,358	2,578	2,998	2,998	2,998	3,378	4,278
50	 Jumbrella WITH valance »betex®05« polyester fabric – exclusively crafted for Bahama	same as 49, but with: - Continuous or split valance possible	valance height: approx. 30 cm	1,858	2,128	2,488	2,708	2,938	2,598	2,828	3,288	3,288	3,288	3,708	4,658
51	 Frame Color anthracite grey frame finish	- aluminum frame in anthracite grey RAL 7016, textured matte finish - resin components in black		without surcharge											
52	 Frame Color wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black		386											
53	 Frame Color custom finish	aluminum frame in custom RAL finish		386 without surcharge when at least 6 or more umbrellas are ordered under the same purchase order											
54	Resin Components in black	instead of white		without surcharge											
55	 V4A Maritime Edition	all component parts in V4A off-shore stainless steel		215											
56	Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible		139											
57	Umbrella Center Pole Reduction	on request		139											
Umbrella Model and Frame with alternative Textile Membrane															
58	Jumbrella WITHOUT valance »Preconstraint 302«	Frame and frame options same as 49-57, however: - textile membrane made of »Preconstraint 302« - polyester fabric 550 Dtex with PVC coating - 25 colors available according to color chart - printing possible - B1 certified flame retardant	fabric weight: approx. 480 g/m ²	1,924	2,165	2,526	2,767	3,008	2,646	2,887	3,357	3,357	3,357	3,790	4,802
59	 Jumbrella WITH valance »Preconstraint 302«	same as 58, but with: - Continuous or split valance possible	valance height: approx. 30 cm	2,117	2,406	2,815	3,056	3,321	2,935	3,188	3,706	3,706	3,706	4,188	5,259
60	Jumbrella WITHOUT valance »Sunvas«	same as 58, however: - textile membrane made of »Sunvas« polyester fabric - distinctive surface feel - printing is not possible	fabric weight: approx. 310 g/m ²	1,924	2,165	2,526	2,767	3,008	2,646	2,887	3,357	3,357	3,357	3,790	4,802
Original Bahama Textile Membrane for Replacement															
61	WITHOUT valance	made of »betex®05« polyester fabric		500	644	873	926	957	926	957	1,105	1,148	1,055	1,363	1,571
62	WITH valance	made of »betex®05« polyester fabric		672	859	1,131	1,184	1,236	1,184	1,225	1,417	1,460	1,367	1,718	1,980
63	WITHOUT valance	made of »Preconstraint 302« PVC coated polyester fabric		706	876	1,143	1,222	1,279	1,209	1,266	1,465	1,508	1,415	1,769	2,086
64	WITH valance	made of »Preconstraint 302« PVC coated polyester fabric		899	1,117	1,432	1,511	1,592	1,498	1,567	1,814	1,857	1,764	2,166	2,543
65	WITHOUT valance	made of »Sunvas« polyester fabric		706	876	1,143	1,222	1,279	1,209	1,266	1,465	1,508	1,415	1,769	2,086
Printing															
66	 Printing	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)		please refer to separate printing price list											

Starting on page 12 you will find all installation options (mobile & permanent) as well as all additional features.

Jumbrella | rectangular

in m	3 × 1.5	4 × 2	4 × 3	4.5 × 3	4.5 × 3.5	5 × 2.5	5 × 3	5 × 3.75	5 × 4	6 × 3	6 × 4	6 × 4.5
	4.5 m ²	8 m ²	12 m ²	13.5 m ²	15.75 m ²	12.5 m ²	15 m ²	18.75 m ²	20 m ²	18 m ²	24 m ²	27 m ²
	8 Spokes	8 Spokes	8 Spokes	8 Spokes	8 Spokes	8 Spokes	10 Spokes	10 Spokes	8 Spokes	10 Spokes	10 Spokes	12 Spokes

No.	Item	Description	Price in €											
Textile Gutter TVR														
67	Frame Modification for Textile Gutter	- modification of the parasol frame for the attachment of the textile gutter (all spokes) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	17	17	17	17	17	17	17	17	17	17	17	
68	 Textile Gutter	 textile gutter made of »betex®05« polyester fabric	353 (1,5 m) 496 (3 m)	369 (2 m) 565 (4 m)	496 (3 m) 565 (4 m)	496 (3 m) 640 (4,5 m)	527 (3,5 m) 640 (4,5 m)	433 (2,5 m) 661 (5 m)	496 (3 m) 661 (5 m)	545 (3,75 m) 661 (5 m)	565 (4 m) 661 (5 m)	496 (3 m) 748 (6 m)	565 (4 m) 748 (6 m)	640 (4,5 m) 748 (6 m)
69	 Textile Gutter	textile gutter made of »Precontraint 302« PVC coated polyester fabric	388 (1,5 m) 555 (3 m)	414 (2 m) 634 (4 m)	555 (3 m) 634 (4 m)	555 (3 m) 717 (4,5 m)	589 (3,5 m) 717 (4,5 m)	485 (2,5 m) 741 (5 m)	555 (3 m) 741 (5 m)	611 (3,75 m) 741 (5 m)	634 (4 m) 741 (5 m)	555 (3 m) 839 (6 m)	634 (4 m) 839 (6 m)	717 (4,5 m) 839 (6 m)
70	 Textile Gutter	textile gutter made of »Sunvas« polyester fabric	388 (1,5 m) 555 (3 m)	414 (2 m) 634 (4 m)	555 (3 m) 634 (4 m)	555 (3 m) 717 (4,5 m)	589 (3,5 m) 717 (4,5 m)	485 (2,5 m) 741 (5 m)	555 (3 m) 741 (5 m)	611 (3,75 m) 741 (5 m)	634 (4 m) 741 (5 m)	555 (3 m) 839 (6 m)	634 (4 m) 839 (6 m)	717 (4,5 m) 839 (6 m)
Side Panel														
71	Frame Modification for Side Panel	 - modification of the parasol frame for the attachment of the side panel (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	17	17	17	17	17	17	17	17	17	17	17	17
72	 Side Panel WITHOUT window	 - made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges	219 (1,5 m) 317 (3 m)	272 (2 m) 397 (4 m)	317 (3 m) 397 (4 m)	318 (3 m) 442 (4,5 m)	353 (3,5 m) 442 (4,5 m)	295 (2,5 m) 477 (5 m)	317 (3 m) 477 (5 m)	384 (3,75 m) 477 (5 m)	397 (4 m) 477 (5 m)	317 (3 m) 583 (6 m)	397 (4 m) 583 (6 m)	442 (4,5 m) 583 (6 m)
73	 Side Panel WITH window	 same as 72, however, with: - flexible window made of transparent film 0.5 mm thickness	230 (1,5 m) 332 (3 m)	296 (2 m) 416 (4 m)	332 (3 m) 416 (4 m)	332 (3 m) 463 (4,5 m)	370 (3,5 m) 463 (4,5 m)	309 (2,5 m) 501 (5 m)	332 (3 m) 501 (5 m)	404 (3,75 m) 501 (5 m)	416 (4 m) 501 (5 m)	332 (3 m) 612 (6 m)	416 (4 m) 612 (6 m)	463 (4,5 m) 612 (6 m)
74	Connecting Piece	 - connecting piece for joining 2 parasols - textile with zippers	112	112	112	112	112	112	112	112	112	112	112	112

Starting on page 16 you will find all other additional features.

Remark: The appearance of the items shown in the technical illustrations may vary.

* for the textile gutter and side panel please indicate the desired color code taken from Bahama color chart.

All prices stated are to be regarded as ex-works and excluding VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Jumbrella | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Mobile Installation Options				
75	 Portable Stand	 <ul style="list-style-type: none"> - height adjustable (in all 4 corners) - cross-frame hot-dip galvanized and powder coated - in traffic white RAL 9016, textured matte finish or in anthracite grey RAL 7016, textured matte finish - incl. bright deco concrete slabs - parasol dimension in m 	<ul style="list-style-type: none"> - individual, depending on umbrella model - in accordance with the specified wind warranty 	
		für Ø 3 Ø 3.5 Ø 4 3 × 1.5 3 × 3 3.5 × 3.5	1,000 × 1,000 mm, approx. 190 kg	688
		für Ø 4.5 4 × 2 4 × 3 4 × 4 4.5 × 3 4.5 × 3.5	1,000 × 1,000 mm, approx. 240 kg	838
		für Ø 5 4.5 × 4.5 5 × 2.5 5 × 3	1,000 × 1,000 mm, approx. 290 kg	968
		für Ø 5.6 5 × 5 5 × 3.75 5 × 4 6 × 3	1,200 × 1,200 mm, approx. 380 kg	1,498
		für Ø 6.3 Ø 7 6 × 4 6 × 4.5	1,200 × 1,200 mm, approx. 460 kg	2,128
76	 Cross-Frame for 8 flagstones	 <ul style="list-style-type: none"> - hot-dip galvanized - suitable for 8 standard flagstones 500 × 500 × 50 mm (not included in the price) - for umbrellas up to 21 m² - without height adjustability (optional: please refer to No. 79) 	<ul style="list-style-type: none"> - cross-frame weight: approx. 28 kg - cross-frame dimensions: 1,130 × 1,130 mm 	428
77	 Cross-Frame for 12 flagstones	<ul style="list-style-type: none"> - hot-dip galvanized - suitable for 12 standard flagstones 500 × 500 × 50 mm (not included in the price) - for umbrellas starting at 21 m² - without height adjustability (optional: please refer to No. 79) 	<ul style="list-style-type: none"> - cross-frame weight: approx. 30 kg - cross-frame dimensions: 1,130 × 1,130 mm 	478
78	Powder Coating of cross-frame for 8 or 12 flagstones	in RAL color of umbrella frame	for 8 flagstones for 12 flagstones	188 215
79	4 Leveling Feet for height adjustability of cross-frame	 in all 4 corners		98

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Jumbrella | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Mobile Installation Options				
80	 Steel Plate Base with 4 Steel Plates 8 Steel Plates 2 layers	 <ul style="list-style-type: none"> - hot-dip galvanized - screw-on receiving column, tiltable 	<ul style="list-style-type: none"> - dimensions per plate: 490 × 490 × 15 mm - weight per plate: approx. 28 kg (total approx. 120/230 kg) 	1,268 1,998
81	 Steel Plate Base with 4 Steel Plates 8 Steel Plates 2 layers	<ul style="list-style-type: none"> - hot-dip galvanized - screw-on receiving column, tiltable 	<ul style="list-style-type: none"> - dimensions per plate: 740 × 740 × 15 mm - weight per plate: approx. 65.2 kg (total approx. 270/530 kg) 	2,148 3,768
82	Powder Coating of 4 Steel Plates	<ul style="list-style-type: none"> - powder coated - in traffic white RAL 9016, textured matte finish - in anthracite grey RAL 7016, textured matte finish - powder-coated in RAL color of the parasol frame 	dimensions per plate: 490 × 490 × 15 mm 740 × 740 × 15 mm	428 515
83	Spacer	 <ul style="list-style-type: none"> short for steel plates long for steel plates e.g. for terrace substructures - measurements don't include the steel plate 	<ul style="list-style-type: none"> - height: 89 mm – 350 mm - starting at a height of 351 mm - the 8 mm thick winter cover, which has to be taken into account 	308
84	Spacer for Electrics Radiator	<ul style="list-style-type: none"> short for steel plates long for steel plates e.g. for terrace substructures - required for umbrellas with electromechanical options - measurements don't include the steel plate 	<ul style="list-style-type: none"> - height: 89 mm – 350 mm - starting at a height of 351 mm - the 8 mm thick winter cover, which has to be taken into account 	348

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Jumbrella | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Permanent Installation Options				
85	 In-Ground Sleeve	 <ul style="list-style-type: none"> - sleeve to be set in concrete, flush-mounting - powder coated above-ground connecting components - in traffic white RAL 9016, textured matte finish or anthracite grey RAL 7016, textured matte finish - for umbrella with/without electromechanical features 	weight: approx. 6 kg	348
86	 In-Ground Tipping Base	 <ul style="list-style-type: none"> - lower part to be set in concrete - powder coated above-ground connecting components with tilting hinge - powder coated center pole sleeve 	weight: approx. 4,8 kg	348
87	 In-Ground Tipping Base Installation WITH electrical connection Radiator	 <ul style="list-style-type: none"> same as 86, however: - for umbrella with electromechanical features 	weight: approx. 8 kg	428
88	In-Ground Installation Extension	 <ul style="list-style-type: none"> - serves to bridge over a gap e.g. an installation in a Kindergarten sandbox 	<ul style="list-style-type: none"> - height: min. 89 mm – max. 392 mm - the 8 mm thick winter cover, which has to be taken into account 	320

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Jumbrella | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Permanent Installation Options				
89	 Octagonal Surface Mount with counter-bores	 <ul style="list-style-type: none"> - hot-dip galvanized and powder coated steel - center pole sleeve is also powder coated - suitable for bolting onto massive concrete ground OPTIONAL with tiltable connecting components 	weight: approx. 18 kg	408
90	Optional: »fischer« heavy duty anchoring bolts 1 set = 8 pcs.	<ul style="list-style-type: none"> - type #FH II 15/15 SK A4 - M10 thread for surface mount with counter-bores - incl. concrete drill insert type #SDS Plus II, 105 mm drill depth and SW6 Allen wrench 		215
91	 Dual Mounting Console	 <ul style="list-style-type: none"> - combination of in-ground sleeve without electrical connection and octagonal surface mount - Also available for umbrellas with electromechanical features and heating - custom dimensions on request - comes with integrated theft prevention device and cover plate - Above-ground connecting components with tilting hinge - Above-ground connecting components without tilting hinge 	<ul style="list-style-type: none"> - weight: approx. 24 kg - height: min. 89 mm – max. 350 mm - the 8 mm thick winter cover, which has to be taken into account 	757 968
92	Adaptation Plate for »Krinner« Ground Screw	 <ul style="list-style-type: none"> - suitable for »Krinner« KSF F 140x1600-M Ground Screw, no concrete foundation necessary - for tiltable connecting components used for Tipping Base - height adjustable - incl. screws for fastening and leveling on the Krinner Ground Screw - with cover plate 	weight: approx. 6 kg galvanized steel	215

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Jumbrella | round, square, rectangular

No.	Item	Description	all models Price in €
Protective Cover			
93	 Protective Cover –basic	made of tent fabric (Nicotarp) with lacing (included when ordering a new umbrella, however, not included when ordering the Protective Cover – comfort)	105
94	 Protective Cover –comfort	 - made of »betex®05« polyester fabric 9801 - concrete - with zipper for telescopic rod	320
95	 Protective Cover – comfort with telescopic rod	 same as 94, but with: - telescopic rod	398
Impact Protection			
96	 Soft Foam Safeguard for center pole of umbrella	 - round shape, with Velcro - available in 10 colors	268
Lighting			
97	 Lighting	- 4 LED-lamps - light temperature 2700K - 4 x 4 W light power - supply power 240 V (available in US edition - 120 V)	535
LED-Lighting			
98	 LED-Lighting with 2 RGB-LED strips	- 2 RGB-LED strips - indirect RGB-LED lighting 120-240/24V - with remote control - integrated in umbrella spokes - only possible for umbrellas up to 16 m ²	748
99	 LED-Lighting with 4 RGB-LED strips	- 4 RGB-LED strips - indirect RGB-LED lighting 120-240/24V - with remote control - integrated in umbrella spokes	965
100	 LED-Lighting with 6 RGB-LED strips	same as 99, however: - 6 RGB-LED strips - only possible for umbrella models with 10 spokes	1,068
101	 LED-Lighting with 8 RGB-LED strips	same as 99, however: - 8 RGB-LED strips - not possible for umbrella models with 10 spokes	1,178

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Jumbrella | round, square, rectangular


No.	Item	Description	all models Price in €
Heating			
102	 2 Radiators	 - 2 electric, turnable infrared radiators (available in US edition) - 1,500 Watts per radiator - variable via remote control - can remain in closed umbrella - Spiral cable inside umbrella pole with 5-pole plug connection for on-site source cable 5 x 2,5 mm ² PLEASE NOTE: This option is suitable for all portable stands with levelling feet and 2-piece in-ground installation with electrical connection (No. 87) and steel plate base in connection with spacer for electrics (No. 84)	1,825
103	 4 Radiators	same as 102, but with: - 4 electric, turnable infrared radiators	2,365
104	Price Reduction for combination of lighting & radiators	when lighting and radiators are ordered at the same time	-200
Speakers			
105	 Speakers	frame integrated audio system with 1 speaker	price upon request
TV			
106	 TV Frame Modification for 1 TV for 2 TVs	 - turnable TV-mounting console for VESA-Norm 200, max. screen size 32 inches - with quick-action slide-in module for easy mounting in umbrella - pre-mounted 230V power socket included (available in US edition - 120 V)	528 1,048
Wifi			
107	 Wifi Frame Modification	- only possible in combination with LED-Lighting option - internal CAT7 wiring - integrated CAT7 RJ45 network interface to be connected inside the in-ground installation - internal power supply of the 24V DC router - Wifi Outdoor Access Point TP-Link EAP110 mounted onto center pole via weatherproof case	1,268
108	4 USB Charging Sockets	 - 4 USB charging sockets - installed at height of the tension latches - integrated voltage converter - possible in combination with 2/4 RGB-LED strips and/or heating option	528
109	External Control Unit	- for 97–108 (all electromechanical features) - FI-switch - On/Off switch for each individual electromechanical option	price upon request

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Notes





02/2021

BAHAMA®