

NEW!

valid from June 15, 2021

BAHAMA®

Jumbrella XL
Price List 2021



Jumbrella XL | round, square, rectangular



in m

ø 7
37 m²
12 Spokes

5 × 5
25 m²
12 Spokes

5.5 × 5.5
30.25 m²
12 Spokes










6 × 6
36 m²
12 Spokes

7 × 7
49 m²
12 Spokes

6 × 5.14
30.84 m²
12 Spokes

7 × 5
35 m²
12 Spokes

7 × 6
42 m²
12 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
Umbrella Model and Frame*											
1	 Jumbrella XL WITHOUT valance »betex®05« polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05« polyester fabric - 25 colors available according to color chart - printing possible - aluminum frame in traffic white RAL 9016, textured matte finish - resin components in white - component parts in V2A stainless steel	- depending on umbrella size - fabric weight: approx. 200 g/m²	6,448	5,998	6,448	6,998	8,598	6,998	7,998	8,898
2	 Jumbrella XL WITH valance »betex®05« polyester fabric – exclusively crafted for Bahama	same as 1, but with: - straight edged valance	valance height: approx. 30 cm	6,898	6,398	6,898	7,498	9,298	7,498	8,598	9,598
3	 Frame Color anthracite grey frame finish	- aluminum frame in anthracite grey RAL 7016, textured matte finish - resin components in black					without surcharge				
4	 Frame Color wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black					515				
5	 Frame Color custom finish	aluminum frame in custom RAL finish					515 without surcharge when at least 6 or more umbrellas are ordered under the same purchase order				
6	Resin Components in black	instead of white					without surcharge				
7	 V4A Maritime Edition	all component parts in V4A off-shore stainless steel					428				
8	Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible					160				
9	Umbrella Center Pole Reduction	on request					160				
Umbrella Model and Frame with alternative Textile Membrane*											
10	 Jumbrella XL WITHOUT valance »Precontraint 302«	Frame and frame options same as 1–9, however: - textile membrane made of »Precontraint 302« - polyester fabric 550 Dtex with PVC coating - 25 colors available according to color chart - printing possible - B1 certified flame retardant	fabric weight: approx. 480 g/m²	7,222	6,718	7,222	7,838	9,630	7,838	8,958	9,966
11	 Jumbrella XL WITH valance »Precontraint 302«	same as 10, but with: - straight edged valance	valance height: approx. 30 cm	7,726	7,166	7,726	8,398	10,414	8,398	9,630	10,750
Original Bahama Textile Membrane for Replacement*											
12	WITHOUT valance	made of »betex®05« polyester fabric		3,149	2,756	2,848	2,955	3,541	2,848	2,934	3,223
13	WITH valance	made of »betex®05« polyester fabric		3,632	3,186	3,331	3,493	4,294	3,331	3,579	3,975
14	WITHOUT valance	made of »Precontraint 302« PVC coated polyester fabric		3,923	3,479	3,622	3,807	4,573	3,622	3,890	4,294
15	WITH valance	made of »Precontraint 302« PVC coated polyester fabric		4,464	3,960	4,163	4,409	5,416	4,163	4,612	5,136
Printing											
16	 Printing	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)		please refer to separate printing price list							

Jumbrella XL | square, rectangular



in m

5 × 5
25 m²
12 Spokes

5.5 × 5.5
30.25 m²
12 Spokes










6 × 6
36 m²
12 Spokes

7 × 7
49 m²
12 Spokes








6 × 5.14
30.84 m²
12 Spokes

7 × 5
35 m²
12 Spokes









7 × 6
42 m²
12 Spokes

No.	Item	Description	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
Textile Gutter TVR*									
17	Frame Modification for Textile Gutter	- frame modification for the use of textile gutters (diagonal/corner spokes) · modification of the 4 diagonal/corner spokes for the attachment of the textile gutter · threaded sleeves incorporated in the spoke profile	65	65	65	65	65	65	65
		- frame modification for the use of textile gutters (standard/intermediate spokes) · modification per standard/intermediate spoke for the attachment of the textile gutter · spoke profile pre-fitted with eye screw and slot nut (no additional drill hole)	17	17	17	17	17	17	17
18	 Textile Gutter	 Textile gutter made of »betex®05« polyester fabric	955	1,028	1,078	1,262	1,078 (6 m) 992 (5,14 m)	1,262 (7 m) 955 (5 m)	1,262 (7 m) 1,078 (6 m)
19	 Textile Gutter	textile gutter made of »Precontraint 302« PVC coated polyester fabric	1,068	1,140	1,210	1,415	1,210 (6 m) 1,110 (5,14 m)	1,415 (7 m) 1,068 (5 m)	1,415 (7 m) 1,210 (6 m)
Side Panel*									
20	Frame Modification for Side Panel	 - frame modification for the use of side panels (diagonal/corner spokes) · modification of the 4 diagonal/corner spokes for the attachment of the side panels · 2 eye screws with threaded pin and connecting sleeve attached to the tension clip	65	65	65	65	65	65	65
			17	17	17	17	17	17	17
21	 Side Panel WITHOUT window	 - made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges	515	548	598	698	598 (6 m) 530 (5,14 m)	698 (7 m) 515 (5 m)	698 (7 m) 598 (6 m)
22	 Side Panel WITH window	 same as 21, however, with: - flexible window made of transparent film 0.5 mm thickness	538	578	635	738	635 (6 m) 556 (5,14 m)	738 (7 m) 538 (5 m)	738 (7 m) 635 (6 m)
23	Connecting Piece	 - connecting piece for joining 2 parasols - textile with zippers	138	138	138	138	138	138	138

Jumbrella XL | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Mobile Installation Options				
24	 Portable Stand	 <ul style="list-style-type: none">- height adjustable (in all 4 corners)- cross-frame hot-dip galvanized and powder coated- incl. bright deco concrete slabs- for umbrellas up to size 6 × 6 m- without wind warranty*	weight: approx. 460 kg	2,148
25	 Portable Stand	same as 24, however: <ul style="list-style-type: none">- with wind warranty*- for umbrellas up to size 6 × 6 m	weight: approx. 540 kg	2,685
26	 Steel Plate Base with 4 Steel Plates	 <ul style="list-style-type: none">- hot-dip galvanized- screw-on receiving column, tiltable- without wind warranty*	<ul style="list-style-type: none">- dimensions per plate: 740 × 740 × 15 mm- weight per plate: approx. 65.2 kg (total approx. 280 kg)	2,148
27	 Steel Plate Base with 8 Steel Plates 2 layers	same as 26, however: <ul style="list-style-type: none">- with 8 steel plates- with wind warranty*	<ul style="list-style-type: none">- dimensions per plate: 740 × 740 × 15 mm- weight per plate: approx. 65.2 kg (total approx. 540 kg)	3,760
28	Powder Coating of 4 Steel Plates	<ul style="list-style-type: none">- in traffic white RAL 9016, textured matte finish- in anthracite grey RAL 7016, textured matte finish	dimensions per plate: 740 × 740 × 15 mm	535
29	Spacer	 short for steel plates e.g. for terrace substructures	height: min. 89 mm – max. 250 mm	498
30	Spacer	long for steel plates	starting at a height of 251 mm	498
31	Spacer for Electrics Radiator	short for steel plates long for steel plates	from 89–250 mm starting at a height of 251 mm	535 535

Jumbrella XL | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Permanent Installation Options				
32	 In-Ground Installation, tiltable	 <ul style="list-style-type: none">- lower part to be set in concrete- powder coated above-ground connecting components with tilting hinge- with theft prevention device	weight: approx. 42 kg	535
33	 In-Ground Installation, tiltable WITH electrical connection Radiator	 same as 32, however: <ul style="list-style-type: none">- for umbrella with electromechanical features	weight: approx. 45.5 kg	620
34	In-Ground Installation Extension	 <ul style="list-style-type: none">- serves to bridge over a gap- e.g. an installation in a Kindergarten sandbox- In-Ground Installation, tiltable (No. 32 and 33)	<ul style="list-style-type: none">- custom height: from 89 up to 400 mm- in accordance with	320
35	 2-piece Flat Foot Mount		<ul style="list-style-type: none">- dimensions: 620 × 620 × 20 mm- weight: approx. 77.5 kg	1,288
36	 Optional: »fischer« heavy duty anchoring bolts 1 set = 8 pcs.	<ul style="list-style-type: none">- type #FH II 18/30 SK A4- M12 thread for 2-piece flat foot mount with counter-bores- incl. concrete drill insert type #SDS Plus II, 135 mm drill depth and SW8 Allen wrench		478

Bahama Wind Warranty*










Bahama grants you, in addition to the legally binding warranties and on the basis of our General Terms and Conditions, a wind warranty for parasols in open condition. The maximum wind velocity depends on the parasol model and the chosen Bahama installation option.

The basic wind warranty of 37 months can be extended twice – each time for 37 months. The full validity period of the wind warranty Bahama offers, including the two-time extensions, is in total 111 months, that means 3,376 days or more than 9 years. You may be asking yourself how we calculate such a time frame? The tensile strength of the textile membrane lessens over time due to the influence of various weather conditions and especially disproportionately in the first 3 years. The other fundamental properties of the parasol such as sun protection and waterproofness remain the same. Bahama can, however, only grant the wind warranty with maximal tension and tensile strength of the textile membrane.

For this reason: a newly exchanged Bahama textile membrane = a new Bahama wind warranty.

Jumbrella XL | round, square, rectangular










No.	Item	Description	all models Price in €
Protective Cover			
37	 Protective Cover – comfort	 <ul style="list-style-type: none">- made of »betex®05« polyester fabric color 9801 - concrete- with zipper for telescopic rod	398
38	 Protective Cover – comfort with telescopic rod	 <p>same as 37, but with:</p> <ul style="list-style-type: none">- telescopic rod	528
Impact Protection			
39	 Soft Foam Safeguard for center pole of umbrella	 <ul style="list-style-type: none">- 2-piece design- round shape, with Velcro- available in 10 colors	478
Lighting			
40	 Lighting	<ul style="list-style-type: none">- 4 LED-lamps- light temperature 2700 K- 4 × 4 W light power- supply power 240 V (available in US edition - 120 V)	590
41	 Lighting	<ul style="list-style-type: none">- 6 LED-lamps- light temperature 2700 K- 6 × 4 W light power- supply power 240 V (available in US edition - 120 V)	750
LED-Lighting			
42	 LED-Lighting with 8 RGB-LED strips	<ul style="list-style-type: none">- 8 RGB-LED strips- indirect RGB-LED lighting 120-240/24 V- with remote control- integrated in umbrella spokes	1,398

Remark: The appearance of the items shown in the technical illustrations may vary.

Jumbrella XL | round, square, rectangular



No.	Item	Description	all models Price in €
Heating			
43	 Radiators	 <ul style="list-style-type: none">- 4 electric, turnable infrared radiators (available in US edition)- 1,500 Watts per radiator- variable via remote control- can remain in closed umbrella- NEW! Spiral cable inside umbrella pole with 5-pole plug connection for on-site source cable 5 × 2,5 mm² <p>PLEASE NOTE: This option is suitable for all portable stands with levelling feet and 2-piece in-ground installation with electrical connection (No. 33) and steel plate base in connection with spacer for electrics (No. 31)</p>	2,798
44	Price Reduction for combination of lighting & radiators	when lighting and radiators are ordered at the same time	- 200
Speakers			
45	 Speakers	frame integrated audio system with 1 speaker	price upon request
TV			
46	 TV Frame Modification for 1 TV for 2 TVs	 <ul style="list-style-type: none">- turnable TV-mounting console for VESA-Norm 200, max. screen size 32 inches- with quick-action slide-in module for easy mounting in umbrella- pre-mounted 230V power socket included (available in US edition - 120 V)	525 1,049
WLAN			
47	 Wifi Frame Modification	<ul style="list-style-type: none">- only possible in combination with LED-Lighting option- internal CAT7 wiring- integrated CAT7 RJ45 network interface to be connected inside the in-ground installation- internal power supply of the 24V DC router- Wifi Outdoor Access Point TP-Link EAP110 mounted onto center pole via weatherproof case	1,498
External Control Unit			
48	External Control Unit	<ul style="list-style-type: none">- for 40-47 (all electromechanical features)- FI-switch- On/Off switch for each individual electromechanical option	price upon request
Transport Packaging			
49	 Forkliftable Packaging	3 wooden pallets incl. tension straps	129

Remark: The appearance of the items shown in the technical illustrations may vary.

Notes



02/2021

BAHAMA®